Table of Contents

Scrub Schedules	1
Scrub Schedule For The Boot Device	1
Scub Schedule For The Volume	2

Scrub Schedules

Maintaining your FreeNAS server is very important. It can be the difference between knowing your server may be developing a problem which gives you some time to take remedial action, or getting up one morning and realising your servers bust and the data has been lost.

Part of a good server maintenance routine is performing regular scrubs of the drives and periodically running SMART tests.

There are a few things you need to know before starting.

- 1. Do not schedule scrubs and SMART tests to run at the same time. This can cause the scrub to never complete.
- 2. Only one SMART test at a time can be run on the same disk. We cannot have a scenario were the Long test and the Short test are running simultaneously on the same drive.
- 3. Scrubs and SMART tests are almost pointless on SSDs (Fester does not know why. I can see why surface scans and badblocks tests would be a waste of time, but not scrubs and some types of SMART tests. If anyone knows why let me know and I will try to include it in the guide.).

When considering scrubs and SMART tests all manner of questions arise. What tests should be done? How often?

It is also immediately clear that when scheduling scrubs and SMART tests we must put some thought into this so the two do not coincide with one another.

This should help.

Scrub Schedule For The Boot Device

Go to the "System" page (1) and click on the "Boot" button (2).

st update: 2016/0	fester1	fester112:scrub https://www.familybrown.org/dokuwiki/doku.php?id=fester112:scrub&rev=1465654								
Account Syste	em Tasks	Network	Storage	Directory	(Sharing	Services	Plugins	Jails	Reporting	S Wizard
System 1										
Information Ger	neral Boot	Advanced	Email	System Dat	aset Tunable	es Update	e CAs	Certificate	s Support	
System Inform		Edit								
Build	FreeNAS-9.10-F	RELEASE (2de	f9c8)							
Platform	Intel(R) Xeon(R) CPU E5-2620	0 v3 @ 2.40	GHz						
Memory	16248MB									
System Time										
Uptime										

In the small box labelled "Automatic scrub interval (in days)" change the default value from 35 (this is too long) to 7.

Account	System	D Tasks	Network	Storage	Directory	sharing	Services	Plugins	Jails	Reporting	T Wizard
System											
Information	General	Boot	Advanced	Email	System Dat	aset Tunab	les Update	e CAs	Certificate	s Support	
Create 7 Auto	Scrub Boot	Status		e Conditio	n: HEALTHY	Size: 238.0 Used: 645.7	Contraction of the second				
Name					A	ctive					Cre
default					C	n Reboot, N	ow				20
Initial-Insta	I										20

That's it.

Scub Schedule For The Volume

Go to the "Storage" page.

4/05/02 21:2	20				3	Scrub Schedul					
account 5	System	D Tasks	Network	Storage	Directory	Charing	Services	Plugins	Jails	Reporting	S Wizard
System											
information	General	Boot	Advanced	Email	System Datas	et Tunable	s Update	CAs	Certificate	s Support	
Hostname Build Platform	FreeN	IAS-9.10-R	dit ELEASE (2def CPU E5-2620		GHz						
Memory	1624	8MB									
System Tir	me										
Uptime											

Now click on the "Scrubs" button (1).

You have two choices here.

You can select the default scrub schedule (2) (it should turn blue when selected) and change it by clicking on the "Edit" button (3) and populating the settings within with new ones that will follow shortly.

Or you can delete it by clicking the "Delete" button (4) and create a new one (Fester prefers to delete and start from scratch).

	s Network	k Storage 1 tion Tasks Scru 1 Description	Minute 00		s Jails Reporting Day of month Everyday	Mizard Wizard
Thresh		Description	Minute 00	Hour		
Thresh		Description	Minute 00	Hour		100 C
	old days	Description	Minute 00			100 C
	nold days		00			
35		2		00	Everyday	E
		2				

If you deleted the default scrub schedule then click the "Add Scrub" button (1).

Whatever option you decided on before a window will pop up.


- Select the volume the schedule applies to from the "Volume:" drop down selection menu (2) (Fester used Tank1).
- Set the "Threshold days:" to **10** by typing it into the corresponding text box (3).
- Give the schedule a meaningful name in the "Description:" text box (4).
- Fester wants to schedule these tests to run on the 1st and 15th of every month at 02:00am in the morning (the server should not be busy at that time).
- Set "Each selected minute" to **00** (5) and "Each selected hour" to **02** (6).
- Scroll down the window.

		🔟 🐢 🕲 🗹	
Account System Tasks Networ Storage	Volume:	Tank1 (ZFS) 2	Rep
Volumes Periodic Snapshot Tasks Replica	Threshold days:	10 3 (1)	
	Description:	Give It A Good Name 4	≡
Volume Threshold days No entry has been found	Minute: 5	Every N minute Each selected minute 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 = 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 +	if n
	Hour: 6	Every N hour Each selected hour 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 23	

In the "Each selected day of the month" box select the 1^{st} day by clicking on **01** (7) and the 15^{th} day by clicking on **15** (8).


Put a tick in every tick box for every month (9).

Now scroll down the window.



Put a tick in every tick box for every day of the week (10).

Now click on the "OK" button (11) to save this scrub schedule.



That's the scrub schedule set.

